

T-3 Serials Microscope

Name	Specifications	T-3B	T-3T
Viewing head	Binocular head, 30°inclined & 360°rotating	●	○
	Trinocular head, 30°inclined & 360°rotating	○	●
Eyepiece	Wide-field eyepiece WF10×-18mm	●●	●●
	Wide-field eyepiece WF16×	○	○
	Wide-field eyepiece WF20×	○	○
Nosepiece	Quadruple nosepiece with built-in click stopper	●	●
	Quintuple nosepiece with built-in click stopper	○	○
Objective	DIN achromatic objective 4×、10×、40×R (spring loaded)、100XR (oil, spring loaded)	●	●
	DIN semi-plan achromatic objective 4×、10×、40×R (spring loaded)、100×R (oil, spring loaded)	○	○
	DIN plan achromatic objective 4×、10×、40×R (spring loaded)、100×R (oil, spring loaded)	○	○
	Infinite achromatic objective 4×、10×、40×R (spring loaded)、100×R (oil, spring loaded)	○	○
Stage	Built-in mechanical stage 155mm×142mm, moving range 50mm×76mm with specimen holder, controlled by coaxial knobs at low position on	●	●
Condenser	N.A.1.25 Abbe condenser, iris diaphragm with filter holder	●	●
Illumination	Halogen bulb 6V/20W and a power adaptor for 85V-265V/50Hz. The brightness is adjustable.	●	●
	LED lamps, Ni-Cd rechargeable battery pack, an AC/DC adaptor. The brightness is adjustable.	○	○
Focusing system	Coaxial focusing system with built-in tension adjustment and focus stop for preventing damage to slides and objectives	●	●
Optional Accessories	DCM35 (350K pixels, USB2.0) digital camera for microscope	○	○
	DCM130 (1.3M pixels, USB2.0) digital camera for microscope	○	○
	Wooden case with lock & keys	○	○
	Dark field condenser (wet or dry)	○	○
	Phase contrast set: DIN Plan achromatic objectives 10×, 20×, 40×R, 100×R(oil) condenser; Eyepiece 10×	○	○
Packing	Each set in a foam in a carton	●	●

Note: “●” in the table is standard attachment. “○” is optional accessories.

Design change: To keep pace with technological advances, we have reserved the right to make design modification and changes without notice.



Joy with your eyes

Chongqing MIC Technology Co., Ltd

Website: www.micscope.com

Email: info@micscope.com

TEL: +86-13436078184; FAX: +86-23-63913139